

Risk Assessment

Area	H & S	Date	01.10.24	Assessment number	IC/II/M
Staff responsible	COM & Pr	Review Date	01.10.25		

Buildings	All environments used by College of Osteopaths including teaching, training or clinical activities
-----------	--

				Risk Rating			Further action required/ action plan	By Whom	Date	Cross reference categories	Risk with Mitigation	Update
Risk Number	Risk Description	Effects/ Impact on	Existing controls	Impact (I)	Likelihood (L)	Rating						
1	Risk to all staff, students, contractors patients, visitors & vulnerable persons from spread of infectious respiratory conditions.	All staff, students, contractors patients, visitors & vulnerable persons	Advice not to attend work, teaching or clinic if expereincing symptoms of respiratory infection. Increased ventilation or HEPA filter use in clinic spaces. Appropriate cleaning of areas and equipment according to their use.	High	Possible	High (8)	Ongoing surveillance and communication and checks with Government websites including UKHSA, IPC, GOsC and iO	COM	Weekly	See individual protocols	Medium/ Low	Keep up to date with latest research and guidelines

Risk Assessment					
Area	H & S	Date	01.10.24	Assessment number	IC/II/S
Staff responsible	COM & Pr	Review Date	01.10.25		
Buildings	All environments used by College of Osteopaths including teaching, training or clinical activities				

Risk Rating												
Risk Number	Risk Description	Effects/ Impact on	Existing controls	Impact (I)	Likelihood (L)	Rating	Further action required/ action plan	By Whom	Date	Cross reference categories	Risk with Mitigation	Update
1	Danger to all staff, students, contractors patients, visitors & vulnerable persons from spread of infectious skin conditions via direct contact with lesion or via aerosol/dropet spread.	All staff, students, contractors patients, visitors & vulnerable persons	Advice not to attend work, teaching or clinic if unwell. Limit interaction with other people if lesions present. Use of appropriate PPE. Appropriate cleaning of areas and equipment according to their use.	Low	Possible	Medium (4)	Ongoing surveillance and communication and checks with Government websites including UKHSA, IPC, GOsC and iO	COM	Weekly	See individual protocols	Low	Keep up to date with latest research and guidelines

Risk Assessment					
Area	H & S	Date	01.10.24	Assessment number	IC/II/G
Staff responsible	COM & Pr	Review Date	01.10.25		
Buildings	All environments used by College of Osteopaths including teaching, training or clinical activities				

Risk Rating												
Risk Number	Risk Description	Effects/ Impact on	Existing controls	Impact (I)	Likelihood (L)	Rating	Further action required/ action plan	By Whom	Date	Cross reference categories	Risk with Mitigation	Update
1	Danger to all staff, students, contractors patients, visitors & vulnerable persons from spread of infectious gastrointestinal infection.	All staff, students, contractors patients, visitors & vulnerable persons	Advice not to attend work, teaching or clinic if unwell and for a minimum of 48 hours after last episode of diarrhoea or vomiting. Appropriate cleaning of areas and equipment according to their use. before attending.	High	Possible	High (8)	Ongoing surveillance and communication and checks with Government websites including UKHSA, IPC, GOsC and iO	COM	Weekly	See individual protocols	Medium/ Low	Keep up to date with latest research and guidelines

Risk Assessment					
Area	H & S	Date	01.10.24	Assessment number	IC/II/R
Staff responsible	COM & Pr	Review Date	01.10.25		
Buildings	All environments used by College of Osteopaths including teaching, training or clinical activities				

Risk Rating												
Risk Number	Risk Description	Effects/ Impact on	Existing controls	Impact (I)	Likelihood (L)	Rating	Further action required/ action plan	By Whom	Date	Cross reference categories	Risk with Mitigation	Update
1	Risk to all staff, students, contractors patients, visitors & vulnerable persons from spread of infectious respiratory conditions.	All staff, students, contractors patients, visitors & vulnerable persons	Advice not to attend work, teaching or clinic if expereincing symptoms of respiratory infection. Increased ventilation or HEPA filter use in clinic spaces. Appropriate cleaning of areas and equipment according to their use.	High	Possible	High (8)	Ongoing surveillance and communication and checks with Government websites including UKHSA, IPC, GOsC and iO	COM	Weekly	See individual protocols	Medium/ Low	Keep up to date with latest research and guidelines